

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1-7. (Cancelled):

8. (Previously Presented): A non-aqueous dermatic cosmetic material for perspiration control, comprising:

(A) 100 parts by weight of a silicone composition paste comprising (i) a cross-linked silicone polymer having hydrophilic polyoxyalkylene groups wherein polyoxyethylene moieties are comprised and (ii) a silicone oil, and

(B) 50 to 500 parts by weight of an aluminum compound having a perspiration control activity,

wherein said material is non-aqueous.

9. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, wherein the silicone polymer is a polymer produced by carrying out addition polymerization reaction of a hydrophilic polyoxyalkylene group-containing organohydrogenpolysiloxane, an organohydrogenpolysiloxane or a mixture thereof with a hydrophilic polyalkylene oxide having terminal aliphatic unsaturated groups, an organopolysiloxane having terminal aliphatic unsaturated groups or a mixture thereof, provided that at least either the hydrophilic polyoxyalkylene group-containing organohydrogenpolysiloxane or the polyalkylene oxide is a reactant in the addition polymerization reaction.

10. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, wherein the hydrophilic polyoxyalkylene groups are polyoxyethylene groups.

11. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, wherein the aluminum compound is an aluminum chlorohydrate or an aluminum zirconium chlorohydrate.

12. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, wherein the amount of said aluminum compound is 50 to 300 parts by weight.

13. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, wherein the silicone oil (ii) of the silicone composition paste (A) is dimethylpolysiloxane or decamethylcyclopentanesiloxane.

14. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, wherein said cross-linked silicone polymer having hydrophilic polyoxyalkylene groups is produced by an addition polymerization reaction between an organohydrogenpolysiloxane and a compound having terminal aliphatic unsaturated groups.

15. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 14, wherein said organohydrogenpolysiloxane is a hydrophilic polyoxyalkylene group-containing organohydrogenpolysiloxane represented by formula,  $R^1_a R^2_b H_c SiO_{(4-a-b)/2}$  (1), an organohydrogenpolysiloxane represented by formula,  $R^1_j H_k SiO_{(4-j-k)/2}$  (2), or a mixture thereof, and said compound having terminal aliphatic unsaturated groups action is a polyalkylene oxide represented by formula,  $C_m H_{2m-1} (C_2 H_4 O)_p (C_3 H_6 O)_q C_m H_{2m-1}$  (A), an organopolysiloxane represented by formula,  $R^1_d R^3_e SiO_{(4-d-e)/2}$  (B), or a mixture thereof; and wherein

$R^1$  is an alkyl group containing 1 to 18 carbon atoms, an aryl group, an aralkyl group or a monovalent halogenated hydrocarbon group,

$R^2$  is  $-C_n H_{2n} O (C_2 H_4 O)_f (C_3 H_6 O)_g R^4$ ,

$R^3$  is a monovalent hydrocarbon group containing 2 to 10 carbon atoms and having a terminal vinyl group;

$R^4$  is a hydrogen atom, a saturated organic group containing 1 to 10 carbon atoms, or  $-CO-R^5$ ,

$R^5$  is a saturated organic group containing 1 to 5 carbon atom,  
 $1.0 \leq a \leq 2.5$ ,  $0.001 \leq b \leq 1.0$ ,  $0.001 \leq c \leq 1.0$ ,  $1.0 \leq d \leq 3.0$ ,  $0.001 \leq e \leq 1.5$ ,  $1.0 \leq j \leq 3.0$ ,  $0.001 \leq k \leq 1.5$ ,  
 $f$  and  $p$  are each an integer of from 2 to 200,  
 $g$  and  $q$  are each an integer of from 0 to 200, and  
 $m$  and  $n$  are each an integer of from 2 to 6;  
 and wherein said addition polymerization reaction involves at least either the organohydrogenpolysiloxane represented by formula (1) or the polyalkylene oxide represented by formula (A).

16. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, further comprising a lower alcohol or a polyhydric alcohol.

17. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, further comprising an alcohol selected from ethanol, 2-propanol, ethylene glycol, diethylene glycol, triethylene glycol, propylene glycol, dipropylene glycol, tripropylene glycol, isoproterenol and glycerine.

18. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 17, wherein said alcohol is ethanol or dipropylene glycol.

19. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, further comprising a silicone oil (E) having a viscosity of no higher than  $100 \text{ mm}^2/\text{s}$  at  $25^\circ\text{C}$ .

20. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 19, wherein said silicone oil having a viscosity of no higher than  $100 \text{ mm}^2/\text{s}$  at  $25^\circ\text{C}$  is a straight-chain or branched dimethylsilicone, a methylphenylsilicone or a fluorine-modified silicone.

21. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 19, wherein said silicone oil having a viscosity of no higher than 100 mm<sup>2</sup>/s at 25°C has a viscosity of no higher than 50 mm<sup>2</sup>/s.

22. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 19, wherein said silicone oil having a viscosity of no higher than 100 mm<sup>2</sup>/s at 25°C is a volatile dimethylsilicone having a boiling point of no higher than 250°C.

23. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, further comprising ester oil, hydrocarbon oil, cetyl alcohol, stearyl alcohol, and/or perfume.

24. (Previously Presented): A non-aqueous dermatic cosmetic material, comprising:

(A) 100 parts by weight of a silicone composition paste comprising (i) a cross-linked silicone polymer having hydrophilic polyoxyalkylene groups wherein polyoxyethylene moieties are comprised and (ii) a silicone oil,

(C) 100 to 1,000 parts by weight of lower alcohol,

(E) 100 to 1,000 parts by weight of a silicone oil having a viscosity of at most 100 mm<sup>2</sup>/s at 25°C, and

(F) 0.5 to 100 parts by weight of vitamin C,

wherein said material is non-aqueous.

25. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein the silicone polymer is a polymer produced by carrying out addition polymerization reaction of a hydrophilic polyoxyalkylene group-containing organohydrogenpolysiloxane, an organohydrogenpolysiloxane or a mixture thereof with a hydrophilic polyalkylene oxide having terminal aliphatic unsaturated groups, an organopolysiloxane having terminal aliphatic unsaturated groups or a mixture thereof, provided

that at least either the hydrophilic polyoxyalkylene group-containing organohydrogenpolysiloxane or the polyalkylene oxide is a reactant in the addition polymerization reaction.

26. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein the hydrophilic polyoxyalkylene groups are polyoxyethylene groups.

27. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said material further comprises an aluminum compound selected from aluminum chlorohydrate and aluminum zirconium chlorohydrate.

28. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said material further comprises 50 to 300 parts by weight of an aluminum compound.

29. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein the lower alcohol is ethanol, 2-propanol, ethylene glycol, diethylene glycol, triethylene glycol, propylene glycol, dipropylene glycol, tripropylene glycol, isoproterenol, or glycerine.

30. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, comprising 100 to 500 parts by weight of the lower alcohol.

31. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said cross-linked silicone polymer having hydrophilic polyoxyalkylene groups is produced by an addition polymerization reaction between an organohydrogenpolysiloxane and a compound having terminal aliphatic unsaturated groups.

32. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 31, wherein said organohydrogenpolysiloxane is a hydrophilic polyoxyalkylene group-containing organohydrogenpolysiloxane represented by formula,  $R^1_a R^2_b H_c SiO_{(4-a-b)/2}$  (1), an organohydrogenpolysiloxane represented by formula,  $R^1_j H_k SiO_{(4-j-k)/2}$  (2), or a mixture thereof, and said compound having terminal aliphatic unsaturated groups action is a polyalkylene oxide represented by formula,  $C_m H_{2m-1} (C_2 H_4 O)_p (C_3 H_6 O)_q C_m H_{2m-1}$  (A), an organopolysiloxane represented by formula,  $R^1_d R^3_e SiO_{(4-d-e)/2}$  (B), or a mixture thereof; and wherein

$R^1$  is an alkyl group containing 1 to 18 carbon atoms, an aryl group, an aralkyl group or a monovalent halogenated hydrocarbon group,

$R^2$  is  $-C_n H_{2n} O (C_2 H_4 O)_f (C_3 H_6 O)_g R^4$ ,

$R^3$  is a monovalent hydrocarbon group containing 2 to 10 carbon atoms and having a terminal vinyl group;

$R^4$  is a hydrogen atom, a saturated organic group containing 1 to 10 carbon atoms, or  $-CO-R^5$ ,

$R^5$  is a saturated organic group containing 1 to 5 carbon atom,;

$1.0 \leq a \leq 2.5$ ,  $0.001 \leq b \leq 1.0$ ,  $0.001 \leq c \leq 1.0$ ,  $1.0 \leq d \leq 3.0$ ,  $0.001 \leq e \leq 1.5$ ,  $1.0 \leq j \leq 3.0$ ,  $0.001 \leq k \leq 1.5$ ,

$f$  and  $p$  are each an integer of from 2 to 200,

$g$  and  $q$  are each an integer of from 0 to 200, and

$m$  and  $n$  are each an integer of from 2 to 6;

and wherein said addition polymerization reaction involves at least either the organohydrogenpolysiloxane represented by formula (1) or the polyalkylene oxide represented by formula (A).

33. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said lower alcohol of Component (C) is a monohydric alcohol.

34. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said lower alcohol of Component (C) is a polyhydric alcohol.

35. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said lower alcohol of Component (C) is a water-soluble alcohol.

36. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said silicone oil of Component (E) is selected from straight-chain or branched dimethylsilicone, methylphenylsilicone and fluorine-modified silicone.

37. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said silicone oil of Component (E) has a viscosity of at most 50 mm<sup>2</sup>/s at 25°C.

38. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said silicone oil of Component (E) is a volatile dimethylsilicone having a boiling point of no higher than 250°C.

39. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said material contains 100 to 500 parts by weight of said silicone oil of Component (E).

40. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said material contains 0.5 to 50 by weight of vitamin C.

41. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said lower alcohol is dipropylene glycol or 1,3-butylene.

42. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said silicone composition paste (A) contains 100 parts by weight of said crosslinked silicone polyner (i) and 300 to 400 parts by weight of said the silicone oil (ii).

43. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said the silicone oil (ii) of the silicone composition paste (A) is dimethylpolysiloxane or decamethylcyclopentanesiloxane.

44. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein the silicone oil (E) is dimethylpolysiloxane, decamethylcyclopentanesiloxane, or mixtures thereof.

45. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 44, wherein the silicone oil (E) is decamethylcyclopentanesiloxane.

46. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein the silicone oil (E) is 35-47 wt. % of the total composition.

47. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, further comprising cetyl alcohol and /or stearyl alcohol.

48. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, further comprising vitamin A, vitamin B, vitamin D, vitamin E, vitamin F, vitamin K, vitamin L, vitamin T, vitamin U, and mixtures thereof.

49. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, further comprising vitamin E.

50. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 24, wherein said the silicone oil (ii) of the silicone composition paste (A) is dimethylpolysiloxane or decamethylcyclopentanesiloxane.



51. (Previously Presented): A method of furnishing nutrition to the skin of a subject comprising applying to the skin of said subject a non-aqueous dermatic cosmetic composition according to claim 24.

52. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, wherein said silicone composition paste (A) contains 100 parts by weight of said crosslinked silicone polymer (i) and 300 to 400 parts by weight of said the silicone oil (ii).

53. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 19, wherein the silicone oil (E) is dimethylpolysiloxane, decamethylcyclopentanesiloxane, or mixtures thereof.

54. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 19, wherein the silicone oil (E) is 30-60 wt. % of the total composition.

55. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, further comprising cetyl alcohol and /or stearyl alcohol.

56. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, further comprising vitamin A, vitamin B, vitamin D, vitamin E, vitamin F, vitamin K, vitamin L, vitamin T, vitamin U, and mixtures thereof.

57. (Previously Presented): A non-aqueous dermatic cosmetic material according to claim 8, further comprising vitamin E.

58. (Previously Presented): A method of achieving an antiperspirant effect in a subject comprising applying to the skin of said subject a non-aqueous dermatic cosmetic composition according to claim 8.